

Correction: Early activity in mechanically ventilated patients – a

meta-analysis **CORRECTION** HANNA EIKÅS KLEM

SIGRID BEITLAND

TUVA SOFIE TVEITEN

STINE MALERØD

DORIS TOVE KRISTOFFERSEN

TERESE DALSNES

MARIA BEATE NUPEN-STIENG

LILLEBETH LARUN

Journal of the Norwegian Medical Association 2021; 141. doi: 10.4045/tidsskr.20.0351.

In this article, Figure 4 should read as follows:

| First author (year) | Early mobilisation | | | Standard treatment | | | Mean difference, | Mean difference, | | | | |
|---|--------------------|-------------|--------------|--------------------|-----------|--------|--------------------------|------------------|------------------|----------|----------------|----|
| | Mean | SD | N | Mean | SD | N | 95% CI | | | 95% CI | | |
| Low risk | | | | | | | | | | | | |
| Eggmann (2018) | 7,2 | 7,3 | 58 | 6,83 | 6,31 | 57 | 0,37 [-2,12; 2,86] | | | - | | |
| Hodgson (2016) | 6,3 | 5,07 | 29 | 8,0 | 5,57 | 21 | -1,70 [-4,71; 1,31] | | | - | | |
| Kho (2019) | 10,17 | 9,27 | 36 | 10,67 | 10,9 | 30 | -0,50 [-5,44; 4,44] | | - | - | _ | |
| Schweickert (2009) | 4,33 | 3,82 | 49 | 6,57 | 4,26 | 55 | -2,24 [-3,79; -0,69] | | | - | | |
| Total (95 % KI) | | | 172 | | | 163 | -1,43 [-2,68; -0,18] | | - | • | | |
| Test for effect: Z = 2,25 (p = Moderate risk | = 0,02) | | | | | | | | | | | |
| Amundadottir (2019) | 11,5 | 10,06 | 29 | 10,3 | 9,78 | 21 | 1,20 [-4,36; 6,76] | | | | | |
| Dong (2014) | 5,6 | 2,1 | 30 | 7,3 | 2,8 | 30 | -1,70 [-2,95; -0,45] | | | _ | | |
| Dong (2014) | 8,1 | 3,3 | 53 | 13,9 | 4,1 | 53 | -5,80 [-7,22; -4,38] | | | - | | |
| Moss (2016) | 11,67 | 8,36 | 59 | 12,0 | 9,11 | 61 | -0,33[-3,46; 2,80] | | | | | |
| Total (95 % KI) | 11,07 | 0,50 | 171 | 12,0 | 3,11 | 165 | -2,16 [-5,18; 0,86] | | | | | |
| Heterogeneity: $Tau^2 = 7,35$ Test for effect: $Z = 1,40$ ($p = 1,40$) | | test = 24,0 | | of freedom (df, |)=3 (p<0 | - 100 | | | | | | |
| Total (95 % KI) | | | 343 | | | 328 | -1,76 [-3,48; -0,03] | | | - | | |
| Heterogeneity: Tau² = 4,19 Test for effect: Z = 1,99 (p=¢ Test for differences betwee | 0.05) | | | | ** | | | | _5 | 0 | 5 | 10 |
| est for afferences betwee | n savgroups: | cm-squar | eu test = 0, | 19, degrees of fi | евиот (а) |)=1(p< | 0,00 <i>j</i> , 1° = 0 % | -10 | -5 mobilisati | 0 | 5 dard trea | 10 |

Figure 4 Forest plot for the outcome measure duration of mechanical ventilation expressed as number of days. Comparison between early mobilisation and standard treatment. Studies with a moderate risk of bias are included (subgroups).

We apologise for the error, which has been corrected in the online version.

Publisert: 21 June 2021. Tidsskr Nor Legeforen. DOI: 10.4045/tidsskr.21.0485 Copyright: © Tidsskriftet 2025 Downloaded from tidsskriftet.no 23 December 2025.